

Author: Conandrum74

Date: 9 September 2018

Version: 1.0

A historical account of Clarence's replication of the B&L devices.

Background:

On the Overunity Forum, a thread started discussing B&L.

<https://overunity.com/13721/energy-from-the-ground-self-powered-generator-by-barbosa-and-leal/945/>

Clarence dedicated many months on studying and replicating based on the Ariovaldo schematic but with the personal touch from Clarence. Clarence claimed to have had success already with it but many remained skeptical and not without cause.

The skeptics drove Clarence out of the Overunity thread and Clarence ended up on Energetic Forum (Don Smith thread) where he stated:

'#10499 04-11-2015, 07:37 PM B&L device - my build - their specs - self runner'.

As a result a new thread was started by forum member 'Level'.

<http://www.energeticforum.com/renewable-energy/20091-barbosa-leal-devices-info-replication-details.html>

Clarence was so certain of his success that even here, he would not entertain any kind of request for measurements to ensure the validity of the claims. This caused many to justifiably lose interest fast (and in some cases, respect) and left the duo Clarence and BroMikey to continue virtually on their own. In essence Clarence was experimenting and BroMikey was cheering him along and giving him courage to continue.

There were a few who jumped at the idea to replicate, based on BroMikey's schematic approved by Clarence, but by the time they reached a satisfactory replication stage, Clarence was already moving fast onto other areas of research and improvement of his replication. Clarence realized that there were problems with the initial design and was looking to find a solution that did not involve so many grounding rods or that was not so sensitive to the magnetic anomalies of ones area.

The first thing that Clarence did to improve his poor ground rod performance was to experiment with some Tesla Pancake and Bifilar coils. The list below outlines the events from this point forward.

1. **#1068 03-21-2016, 12:09 AM - TBC & TPC effort (Worked but short on amps)**
Goal was to somehow supplement the ground voltage, so that Clarence would not have to add any more ground rods. Clarence made the conjecture that since his area was not up to the task magnetically, he had to find another source that could supplement his Earth ground. This supplement came in the form of the TBC & TPC effort.
 - a. **#1094 04-14-2016, 05:10 PM - Trying to resolve high frequency issue:**
 - i. *The ZVS driver for the TBC & TPC was pushing them with high frequency and this was reflected in the output. Clarence needed a way to lower the frequency to 60Hz, but nothing worked.*
 - ii. **#1114 04-23-2016, 03:04 PM – IFT**
In the search for a way to lower the frequency, Clarence ventured into something called Intermediate Frequency Transformer, which had to do with Harmonic Beats.
The experiment did not produce the required results. And by the #1192 08-15-2016, 10:49 PM, a new direction was in the works.
 - iii. **#1215 09-09-2016, 11:08 PM – Slasher**
Clarence became interested in the Slasher concept from Gerard Morin in order to lower the final frequency from the TBC/TPC coils. This also failed to deliver.
 - b. **#1227 10-14-2016, 06:52 AM: Rectified AC -> DC**
At this point Clarence decided that 'to get any valuable usage out of a TBC coil it will just have to be rectified and used in a DC form!'... using a '25 amp solid state FWBR'.
 - c. **#1228 11-02-2016, 07:02 PM: The TBC/TPC/ZVS route is abandoned.**
'The Tesla coils and ZVS driver with its 24 VDC power supply are no longer in the picture.' 'The latest efforts to use Tesla coils by changing AC to DC were way to cumbersome and involved really high amperage with respect to diodes to accomplish that end. 100amp+heatsink+oil bath! Will NOT happen.'
2. **#1228 11-02-2016, 07:02 PM: Use Solar!**
The new direction to supplement his batteries is simply using solar panels and MPPT controller chargers.
 - a. **#1292 03-11-2017, 02:09 PM: Theft!**
A huge quarrel starts somewhere around this time with allegations of theft of photos from Clarence's account on photobucket and allegations that Clarence with Bromikey were deleting previous posts to cover up accidental leaks of photos that showed Clarence copying Don Smith's designs.
3. **#1310 03-19-2017, 11:09 PM: CEMAR/SWER – No Rods needed???**
 - a. **First bombshell**
'For Quite a while now I have suspected that B&L's units (Early Models) were all being powered by The Utility Grid in their area Known as C E M A R.'
'Location did not actually play a great role in using their units. Their suggested 60 Rods and Later suggested 26 rods were only another smoke screen'
'A ground return Rod (ONE) is necessary for sure. Without the ONE nothing happens.'
'1 rod as input with one return - works fine! Whole lot of SMOKE was blown in my opinion'
Even though it was not expressly stated, this was a major shock. Judging by the title of the post 'Just a small update of sorts', I guess Clarence did not want to make a big deal about it! Maybe he realized how he was taken for a ride, and he took others for

a ride with him. All this time, people including Clarence were going out purchasing ground rods and sticking them in the ground at great cost of money and time. This should have been avoided from the beginning. Noone should be followed blindly for whatever reason.

b. **#1319 03-22-2017, 09:16 PM:**

By this point, with Clarence urging people not to add any more rods, and showing a system with solar panels and batteries, I am sure some were beginning to wonder what the purpose of the Captor was!

4. **#1322 03-23-2017, 07:30 PM – Second bombshell.**

a. **Loop/Captor useless?**

‘Secretly I believe the LOOP and it's Amperage reading is another "LOOKY HERE!" distraction’

‘B&L (IMHO) just found a simple but effective way to GOBBLE it up with out going thru any METER. THAT is the same thing we are doing here. ALL OF YOU need ton think about it!’

Well, people were telling Clarence to ‘think about it!’ ages ago!

b. **#1324 03-23-2017, 09:42 PM - Clarence did a critical test.**

He compared the output with and without the torroid transformer. ‘did the lights brightness increase or decrease any at all?.....NOPE not a bit!’

‘So another "LOOKEY HERE" bites the dust. So I will just leave my toroid with it's Loop disconnected and get on with reality.’

One whole year of people building Loops and now you drop this on them?!!!

This should have been the number one test one year ago. Clarence did not want to listen and neither did BroMikey.

5. **#1326 03-24-2017, 09:25 AM - What was B&L all about then? All a big scam or...?**

a. **TWO separate coil winds**

‘I know that the DIY steel toroid they made and used for their units actually had TWO separate coil winds’

‘This suggests that they used the first layer coil for one purpose and the second layer coil for another purpose. will have figure that one out’

b. **#1330 03-25-2017, 08:06 PM - Departure from initial toroid design – B&L Specs**

‘working to make another of my primary only toroids to B&L specs with their type secondary’

c. **NOT LOOPED**

‘the LOAD AMPERAGE READING tells me that the LARGE WIRE COIL around their Toroid Core is definitely NOT LOOPED’

Clarence was finally doing some real detective work that should have been done 2 years ago. Better late than never.

By #1332 03-26-2017, 01:11 AM the new direction was towards replicating precisely the B&L toroid based on photos. ‘I believe this was the means B&L was able to tie their units to the utility grid as a low amp circuit completion means and at the same time open the door to the vast amounts of earth energy being pumped into the whole country side as a Utility Grid’.

6. **‘#1346 04-02-2017, 09:26 PM - Dead End = A new direction - Toroid bifilar**

- a. ‘YES!. I do still plan to use the ground grid as shown in e-mail. I also plan to use it being powered by my own utility company and harvesting THEIR ground power instead of my PVbatt/inverter power. I want to know **what does what.**’

- b. 'The question still is **how** to effect the connection to ground without having the secondary throwing its load ability back on the primary coil.'...'Their units primary never was loaded by their secondary at all. It always showed 0.10 amps. How they managed to do that?'
- c. 'EVERY Utility PUMPS it into the ground every second of every day.'...'Again the total effort to be concerned with is **HOW DID THEY EXTRACT IT!**'
- d. #1363 04-08-2017, 02:22 PM:
All toroid connection attempts failed. Clarence seemed disappointed and lost.

If it would have been anyone else, they would have given up at the beginning of step 5. Clarence had probably close to 3 years of experience with the B&L subject and was naturally drawn to the weakest link in the puzzle – If B&L were scrutinized by the authorities and granted a patent, there must have been some validity to their system. Having found the distractions, what remained must have simply been build wrong.

This started a complete rethink of every little detail of what remained.

7. #1365 04-11-2017, 05:38 PM: The CORE ? The transformer?

- a. **Core is wrong – Much effort wasted/obsolete**
'ALL posts made by me from beginning of thread time contain lots of info that will soon be made obsolete.'
#1366 04-11-2017, 06:05 PM 'Realizing all the FLUBBER I had made from the beginning of time...' 'the core material for the correction build since their supposed toroid never was a transformer of any kind to start with. This fact has made almost ALL of my previous posts obsolete as a result'
'It's aggravating that I didn't catch that way back when but again their wording was very misleading without the background of their research.'
- b. **#1370 04-11-2017, 10:19 PM - PMH?**
'Found out the supposed to be Primary/Secondary transformer was not a transformer at all!' 'Their DIY was not used as a transformer but a PMH devise.'
'Their DIY only required a one time MOMENTARY initial input! Then self contained.'
'solid metal ---no lamination.. 5.5" round 1.5 " thick cold finished metal'
- c. **#1392 05-10-2017, 10:38 PM - 660 turns full wind with a loop at 330.**
- d. 'Also there is no input and output to the ground rod system. The voltage that is in the earth is ALREADY there - this system only DRAWS it out.'
- e. **#1406 05-13-2017, 05:12 AM : pulsed DC**
'this coil will only be pulsed by DC VOLTAGE - It is necessary to have the voltage characteristic KILLED in order to leave ONLY THE AMPERAGE characteristic still available! It is called removing the LENZ effect (BEMF) from the coil circuit. In the Translation dialogue of the Demo they made they referred to it as "BREAK THE RESISTANCE" and enable them to have higher amperage output'
- f. **RESULTS:**
 - i. 'Tried the New core by itself with the bifilar connection used as such. Was not a good help at all'
 - ii. 'proceed with the core as just a series wound unit- On to next Item'

Clarence has been trying to adhere to the patents as much as possible, and has paid special attention to the toroid and windings. Countless hours must have been spent,

purely because of the B&L demonstrations, the patent grant after meticulous inspections and his own belief that this system is simple to reproduce.

8. #1437 07-18-2017, 11:40 AM: the end of a LONG journey

a. MAINS CONNECTED:

‘Have finished the Patent Type Build. It Does work. However the success is a mixed bag’ ‘Everything in it works as it it supposed to...’

WEIRD: ‘During mid day - 10 AM to 2 PM the voltage from the ground reads 52/56 volts AC. After that time period the AC voltage diminishes considerably - down to 6/5 volts. Why it does that - I don't know?’

b. Off-grid INVERTER:

17W max. via 3 ground rods.

i. **#1454 07-21-2017, 04:04 AM** - However changes to the Ariovaldo circuit must be made

ii. **#1440 07-19-2017, 01:45 AM** - shows the system but does not describe the components.

Clarence states:

‘#1 This B&L unit actually DOES work.’

‘#2 It is NOT dependent on Location.’

‘#3 It is NOT dependent on magnetic anomaly.’

‘#4 It is NOT dependent on a SWER location.’

‘#5 It CAN be used on a two wire location.’

‘#6 It can be used on on a battery/inverter system.’

‘...the Captor FURNISHED 6 AMPS!’

To Clarence it looked as if the device (#1455 07-21-2017, 02:52 PM with ‘...special CORE with a special 660 turn winding’ and ‘...no input to ground’) *was generating some energy on its own* (‘...constructed so that the extra comes from the GROUND’) *when connected to the mains. He was quite aware that there could be some ground loop/cheating the meter kind of thing going on, but he was not striving for that.*

‘You will need to use some Kill-A-Watt meter on the AC input to show the difference in Amps in versus amps out through the Captor loop or people will just still think it's only a regular AC circuit . Use an AC amp Clamp meter on the Green wire ground return line also. Then compare the difference in amps in and amps out.’

It is clear that he was going for the ‘vast amounts of earth energy being pumped into the whole country side as a Utility Grid’. *It can almost certainly be assumed that he did all the metering and measuring exactly as he advised ‘Wantomake’ to do.*

What cannot be assumed is that he actually used a digital or analogue amp meter at the input. He may not have known that a KWM can also be fooled, by his particular system, at this stage. However we are certain that he knew this by #1495 07-26-2017, 12:17 AM.

Even with partial ‘apparent’ success, by #1476 07-22-2017, 06:09 AM *Clarence stated :* **‘After 4 years I've finally got something that works’. This flies in the face of his previous statement 2 years earlier on** #10499 04-11-2015, 07:37 PM **‘B&L device - my build - their specs - self runner’.**

It is obvious that Clarence was being humbled while fixing his previous misconceptions.

9. **#1481 07-23-2017, 04:22 AM - Looking for more power, but from where?**

- a. 'Am **beginning to see** that the B&L units are a type of **Fool The Meter** program with a CAPTOR thrown in'
- b. 'I **want to know** is any induction of amperage from one to the other taking place'
#1484 07-23-2017, 05:37 AM - 'Captor IS Producing amperage AND injecting it into the return circuit'
- c. **#1491 07-25-2017, 11:33 AM** - *Clarence performed many tests to see if he could increase this power injection.*
 - i. 'Basically it's a **Fool the Meter** layout'
 - ii. 'Will only do this until **trials** are over!'
 - iii. '...working to get the Captor thing understood with a reasonable explanation of **does it WORK or NOT?**'
 - iv. 'the mains (thing) is a lot easier to get a **whole lot of trials** done in a shorter time space'
 - v. **#1495 07-26-2017, 12:17 AM** - *He understood perfectly and was opposed to the 'fool the meter routine'. 'For the amps to show on the UTILITY METER the input and neutral return BOTH PASS THROUGH THE METER'*
- d. **#1503 07-29-2017, 12:54 AM - GDT and run cap ARE NOT NEEDED?**
Clarence is looking to 'open the door to the vast amounts of earth energy' while dealing with a 'Fool the Meter' system. He is cleaning it up, removing 'fool the utility guys' stuff and now 'Fool the Meter' stuff! He is trying to see, if there is anything which is not fooling anyone, while at the same time pulling the promised 'vast amounts of earth energy'.

'The GDT and run cap ARE NOT NEEDED. The GDT had to be a trial -thought by ARIOVALDO -My opinion. Just get rid of the whole HOT LEAD to the Ground side and it is just the ole fool the meter system PERIOD!!!!'

#1505 07-29-2017, 06:11 AM : Clarence has later retracted removing the GDT.

e. **Decoupling! but how?**

'**How** they were able to transfer the LINE voltage from that LOOP and AVOID any DIRECT lead back to the Toroid original LINE input is what I want to find out.'

- i. 'The **ONLY INPUT TO THEIR SYSTEM...**Was 0.10 AMPS! ... = 22 WATTS !!!
No matter what load ... on their system that V/A/W NEVER INCREASED!
- ii. 'At the present time with my build when you put a Clamp meter on the Line input and their is a load the amperage on the system input will climb like a monkey.' '...you will see a HOT lead from the SAME HOT Toroid input that ALSO GOES straight to load! That is a GIANT SCREW UP that HAS TO BE OVERCOME!'
#1512 07-29-2017, 10:56 PM: 'As long as that wire goes STRAIGHT to the LOAD terminal it's a fool the meter crap. It needs to come from somewhere ELSE'
- iii. 'A hot lead to the load terminal from somewhere else HAS to be found.'

10. **#1514 07-29-2017, 11:20 PM: Dual facing coils and LOOPS**

- a. *In order to avoid the direct connection to the Red wire.*
- b. '... statement about the switch being turned on with the INPUT CURRENT being kept steady that this should enable an endless supply of energy. The coil with the switch APPEARS to be a **DC Powered** circuit'

- c. 'the **Loop** thing works like they have it set up.'
- d. **#1528 08-02-2017, 07:18 PM - Direct Mains Power Connection**
'The main thing is to get to hell away from a Direct Mains Power Connection, Which the DAMN red wire IS'
- e. **For the above reasons, Clarence decided to use:**
'TWO of my old type Toroid Primary only transformers ... I am going to take them and face them together as the PDF said'
#1529 08-03-2017, 12:29 AM - 'The results were finally what I was looking for.' 'THIS process eliminates a DIRECT WIRE CONNECTION TO POWER LOADS.' 'makes the power supply to the loads AVAILABLE BY MAGNETIC FLUX through the transformers.' 'same voltage but DOUBLES THE CURRENT'
#1531 08-03-2017, 04:46 AM - 'the input was DIRECT power from mains and that the output was from **MAGNETIC FLUX - the separation** I was looking for'

11. #1529 08-03-2017, 12:29 AM: Shorted Loop a DoDo? Gone!

- 'the ole # 1.0 ought SHORTED LOOP will NOT be in my setup anymore.'
- a. 'it WILL NOT induct voltage or amperage into anything.'
- b. 'It is pure EYE CANDY - A White Elephant - A DoDo Bird.'
- c. 'It serves NO purpose.'
- d. **#1539 08-04-2017, 03:00 PM** '

12. #1534 08-03-2017, 02:39 PM: Toroid Revelation? Toroid MODIFICATION.

- a. 'that means that the B&L actual toroid WAS a PRIMARY with a SECONDARY !' '...a 330 turn primary AND a 330 turn secondary'
- b. 'This makes our 660 turn toroid primary a blooper!... because it covers the WHOLE surface AREA!'

13. #1539 08-04-2017, 03:00 PM : DoDo makes a comeback.

- a. 'Have been thinking long and hard about the shorted 1.0 AWG thing. '
- b. 'I know for a fact that there is NO inductive capability in it whatsoever.'
- c. '... To me since it has NONE of these, the only thing to do is GIVE them to it!'

14. #1542 08-05-2017, 11:50 PM:

- a. **Single Toroid test** 'Nothing great or outstanding about any of it.'
- b. **Series transformer thing: #1545 08-06-2017, 06:20 PM**
 - i. Primary windings on one side of toroid. Secondary windings opposite side: 'All it did was THROW it's load right back on the primary'
 - ii. '... winds directly on top of the primary winding themselves and NOT on top of the core':
- c. **#1547 08-07-2017, 03:37 PM** 'some **progress** and gain some noteworthy knowledge'

15. #1548 08-07-2017, 09:25 PM

- a. **'A pot of gold - After four years of work now I am almost speechless - THE WHOLE SOB DOES WHAT IT WAS SAID IT COULD DO!'**
Judging by the previous history, Clarence should have by now separation of DIRECT power from mains - the output should be from MAGNETIC FLUX as he wanted. This should mean that the system does not have the 'fool the meter' connections any

longer.

- b. 'pulling energy from the ground up to 9.8AMPS. all of this while the KAW meter only shows 0.07 amps supplied from the mains and at 5.4 watts. At first I thought it was a faulty KAW so I dug out the others and tried Four more of them - they all read the same'.

Clarence has again not specified using a normal digital amp meter, even though he is fully aware about the 'fooling the meter' thing.

- c. **Mains Performance:**

#1549 08-07-2017, 11:34 PM - '18.8 amps out for .07 amps in is quite an increase!'

#1551 08-08-2017, 12:55 AM - 'loaded my setup with loads equaling 26 + amps on a wall plug outlet only rated for 20 amps MAX - **no breaker trip**'

#1746 10-21-2017, 10:05 PM - 'I have put up to 37 AMP LOAD on a 20 amp wall socket for the unit I am still using DAILY. The watt reading shown on the KAW meter was ALWAYS very low. Be it Known AS LUC said that even the MINIMAL system Resistance WILL drop the system voltage as more loads are added.'

- d. **INVERTERS/Off Grid Performance:**

#1553 08-08-2017, 04:17 AM - 'it should be no problem to use this setup in a battery inverter form.'

#1558 08-08-2017, 06:26 AM - 'I believe there will be a need for a one rod voltage input from the inverter to be able to receive any and all energy from the ground.... And then maybe it won't be necessary at all.'

#1746 10-21-2017, 10:05 PM - 'about using a battery plus inverter setup saying that all the energy from the ground disappears. I have used a Batt/inverter with my setup many times and pulled energy from the ground rods with no problem. Ole BONEHEAD doesn't know how to get it done so the twit thinks it's impossible. Far be it from me to tell the twit how on this thread. Let it stay delusional.'

- e. **#1558 08-08-2017, 06:26 AM** - 'The whole thing is really VERY simple and follows one of their basic patent illustrations. You will **notice a difference** in the method I connected the ground return to the setup also.'

#1559 08-08-2017, 06:41 AM - 'The setup is completely different from what you have seen before - BUT - it is exactly like the patent illustration.'

#1570 08-08-2017, 06:43 PM - '(Almost) exact duplicate of Ariovaldo's schematic. I even followed the color code on the wires as close as possible.'

16. #1603 08-10-2017, 05:08 PM - Some numbers

- a. 'A 1 amp fuse on the neutral supply to the Toroids works without Blowing.
- b. The fuse for the Line (HOT) leg that feeds the Toroids AND THEN CONTINUES ON as a LINE supply for loads is a MIXED ball game.
 - i. For a 25 amp TOTAL load it requires a 20 amp fuse and it will heat a little but NOT blow.
- c. I spent time doing the math and it seems that for the said 25 amp load total
 - i. 75% comes through the **mains Line supply** ("Power Bus"¹ [see e below])
 - ii. the OTHER **25% comes THROUGH THE GROUND RETURN.**

- d. That's why a **clamp meter would show the total 25 amps for the load**. It does NOT differentiate between the two sources but only shows the sum total for the load it is measuring.'
- e. **#1609 08-10-2017, 09:28 PM** – *Bromikey comments on the wording used by Clarence*: 'Possible change your wording to say "Power Bus"¹ a separate designation other than "Supply Line Mains"
#1610 08-10-2017, 11:07 PM – *Clarence totally agrees with Bromikey*: 'Yeah, the only thing the Utility grid powers is the Two toroids, and that only amounts to .07 Amps. Everything else does come from the ground.'
- f. **INVERTER/Off Grid Performance:**
#1661 08-12-2017, 07:15 PM - 'unplugged my system from the AC wall plug and plugged it into my inverter (3000 watt aims)- Its Smart charger was already connected to the battery/capacitor bank so i plugged it in as a load on the setup. ... It keeps the battery level constant and **runs light loads**. It's been running for **nine hours** now...'
#1746 10-21-2017, 10:05 PM - 'about using a battery plus inverter setup saying that all the energy from the ground disappears. I have used a Batt/inverter with my setup many times and pulled energy from the ground rods with no problem. Ole BONEHEAD doesn't know how to get it done so the twit thinks it's impossible. Far be it from me to tell the twit how on this thread. Let it stay delusional.'
#1795 11-24-2017, 12:10 AM - 'You won't see anything with an inverter - SORRY ! An Inverter is not connected to the ground but only to a battery - won't work. I know how to make it happen but the results are not worth the effort...'

*For the first time ever, we see a clamp meter and Clarence used it on the live line feeding the loads. I would have used it behind the KWM on its live line. He probably did not think of that, same way he did not think of using fuses all this time. These should have been the first tests ages ago. Furthermore, **when using the inverter, which should be able to run up to 25A loads** , we see that it is only capable of running small loads – Why is that?... it is not explained. Depending on the battery utilized, a 50W light bulb (for example) can run for many hours. **Notice that the load is also not specified while the hours are.***

17. #1604 08-10-2017, 06:15 PM – Necessary Improvements

- a. 'I need to upgrade the wire size of the red wire from the toroid connection to the output terminal from # 10 AWG to **#6 AWG** and make it MATCH the Ground return wire size all the way to the load terminal.'
- b. '150 volt **GDT**'

18. #1788 11-23-2017, 01:18 AM – Final modifications for reasons unknown

- a. **#1791 11-23-2017, 05:38 AM**
'look at the picture I sent...THERE IS NO NEED TO ADD ANY TURNS ANYWHERE...LOOK REAL HARD and you will see there is only a PRIMARY on the toroid. There is NO NEED for anything else!!!! You WILL need a couple of ground rods to be able to make any headway. That is a MUST.'

Conclusion:

Clarence claims to have finally removed all 'fool the meter' connections and 'fool the utility guys' distractions. This has allegedly allowed him to get to the core of what makes the B&L device open the door to the so called 'vast amounts of earth energy'.

All this happened around the #1548 08-07-2017, 09:25 PM.

Unfortunately not many people have had the opportunity or the necessary support to replicate the results from Clarence. Clarence may have had some personal health issues to deal with and his attendance dwindled as well as his patience with people that could not achieve replication results.

I cannot say with full certainty whether Clarence was valid in his allegations after the aforementioned date. However if I had to bet whether that was the case, my gut tells me that he really was onto something and that when he decided to announce something, he was not doing it for the sake of attention from the forum. He was taking the time and trouble to announce something for the benefit of others – he did not have to do anything. This of course does not detract from his own self, being deluded for 2 years and in the process deluding others, even if his motives were pure.

In closing, I suggest that if anyone wants to replicate his device, they start by reading this history of events from the beginning. It should give them an eagle-eye view of the progress and an insight into the mind of Clarence and what he was trying to achieve with each problem encountered and *allegedly* solved. That should be able to help you eventually to successfully replicate the device being described around the aforementioned time and see for yourselves what all the fuss was about.

**At least someone took up 4 years of their life
to give us a head start!**

A big Thank you Clarence!

About the author Conandrum74

The author has not yet attempted to replicate this device. The reason is because the author believes in absorbing all information first and all historical events in logical sequence – this document was a step in his self-education. The author also believes that the device could very well be viable and authentic and could be run off-grid – all based on Clarence's apparent responses. Let it also be known that even though Clarence is not around anymore, some forum members still are and could be willing to divulge some more information if asked politely and respectfully.

One very important thing we can all take home with us from the Clarence story, is that each one should treat every other one with respect. Actions cause reactions and we are too quick in taking reactions which cause unnecessary and destructive domino effects. Reason must prevail, even in the face of adverse opposition, thereby our reaction will remain constructive. Fighting fire with fire is not the way to go, and this would have saved Clarence nearly 2 years.

God bless each one of you in your endeavours and remember to share that blessing with others whether they deserve it or not, selflessly. Your efforts will be rewarded in a multitude of other ways which may not be clear to you at present! Good luck.