

Ancient Vimana Mercury Engine

Ver 1.2 (2017-9-22)

1 目录

1	Overall Design	2
1.1	Introduce	2
1.2	Basic Principles	3
1.2.1	Physical Photos	5
1.2.2	Caduceus	7
1.3	3d drawing	8
1.4	Component list and parameters	10
2	Mechanical and electronic parts drawing	11
2.1	Big Copper Pipe	11
2.2	Condensing Copper Pipe	12
2.3	Metal Plug	13
3	Assembly	14
4	User's Guide	16
4.1	Distilling Mercury with Sea Salt	16
4.2	20kV High Voltage Influence Mercury	17
4.3	Stibnite Distill Mercury	18

2 Overall Design

2.1 Introduce

Description:

Ancient Vimana mercury engine works as antigravity propulsion + gyroscopic propulsion. the mercury vapours inside the huge copper pipe move up during the temperature rising.

The fire should give You a 600-800 Celsius temperature. the smaller pipes are make the mercury vapor condensation process the mercury is again in the bottom and vapors. The process is never ending process if You keep the fire burning the engine never stops. The activated mercury has a specific properties. and the very fast movement of the vapors create electricity field even to 100Kv.

the magnetic component is also included into this vaporing process.

in the end the small drops produce gyroscopic force to up and forward.

It all distort the gravity weaves and change it to antigravity very fast flight.

All the pipe big and smaller should Be made 100% from copper. and soldered well.

Nothing can't escape from the pipes. We used 6mm copper condensing pipes and the 2 cm big pipe.

Activation of the Mercury Process:

take 10 grams of normal laboratory grade mercury distill it 10 times with 3 grams sea salt addition. after it take 2 pieces of double sharp quartz crystals and lay container with mercury + sea salt in the middle, 1 crystal lay left second lay on right. container is in the middle. take a high voltage generator and put positive electrode to the mercury. make sure it is not copper but iron. the 20kV positive electrode has to have influence on the mercury drop for 2 weeks.

After it add 2 grams of stibnite to the mercury drop and power off the HV generator.

Keep it well closed till You see that the mercury change color from grey to soft red gloss.

clean mercury out of remains of sea salt and stibnite. You can even distill it.

than the mercury is ready to the engine. We use only 2 grams of Activated mercury drop.

2.2 Basic Principles

When mercury vapor travels spirally, it can produce strong electric and magnetic field, which can produce antigravity propulsion. So at first, mercury is heated to be vapor under the temperature 600-800 Celsius. And then it travels spirally in the condensing copper pipe. It is shown in figure 1.




figure 1 mercury vapor travels spirally

2.2.1 Physical Photos

<https://www.youtube.com/watch?v=VoQxKhHITbM&t=17s>

Here are the result of Our latest project.

We made a Strong magnetic vortex engine based on ancient vimanas.

The mercury must be prepared and activated in special way before using, because normal mercury no make strange propulsion effects. As You can see on this movie the camera had a problems to record this clearly because of light and influence of the strong field. In real Time We saw a ball of very bright light which was shot in to the air and We even couldn't keep eye on it ,No wind felt. It was amazing experience this engine shocked us in a positive way.

If You want more information or want to know how We done this experiment please visit our site.

<https://www.facebook.com/antigravitys...>

You can buy schematics of this device for and prepare to Yourself. But You have to Be careful in experiments because the force which appears has extremely powerful lift. Physical photos are shown in figure 2. Activation process is shown in figure 3.



figure 2 photo (<https://www.youtube.com/watch?v=VoQxKhHITbM&t=17s>)



figure 3 photo of Activation of the Mercury Process
(<https://www.youtube.com/watch?v=VoQxKhHITbM&t=17s>)

2.2.2 Caduceus

Simple Mercury engine which produce antigravity field. According to ancient schematic, the caduceus. It is shown in figure 4.

The Caduceus, Magic Wand of Mercury, Messenger of the Gods, is an ancient symbol of electromagnetic flight and cosmic energy.



According to Clendenon, the Caduceus is a simplified diagram of a Mercury Vortex Engine:

- A. Air is the flight propellant/propeller/wings
- B. Expansion of vortex coils/cooling
- C. Compression of vortex coils/heating

- 1. Liquid metal mercury, the bearer of electro-magnetic energy.
- 2. Mercury boiler
- 3. Antenna/starter/core
- 4. Closed circuit serpentine heat exchanger/condenser coils
- 6. Poisonous mercury vapor reservoir

figure 4 the caduceus

2.3 3d drawing

The 3d drawing is shown in figure 5 and figure 6.





figure 5 3d drawing





figure 6 mercy engine

2.4 Component list and parameters

Component list is shown in table 1.

table 1 component list

	Component	Size	Material	Notice
1	Big copper pipe	Length is 150mm. External diameter is 20mm . Thickness is 2mm .	Fine copper	
2	Condensing copper pipe	External diameter is 6mm . Thickness is 1.5mm . Length is 547mm.	Fine copper	Number is 2
3	Metal plug	Height is 6mm Diameter is 24mm	Fine copper	Number is 2

Distilling component list is shown in table 2.

table 2 distilling component list

	Component	Number	Notice
1	Laboratory mercury	20 grams	
2	Sea salt	70 grams	
3	Test tube with wooden plug	1	
4	Electromagnetic heater	1	
5	AC generator	1	20kV 20kHz
6	Square test tube	1	
7	Iron electrode	1	
8	Double sharp quartz crystal	2	
9	Distillation Apparatus	1	
10	Nature stibnite	2 grams	Powder-like

3 Mechanical and electronic parts drawing

3.1 Big Copper Pipe

The predetermined size is shown in figure 7.

The external diameter is **20mm**.




figure 7 big copper pipe

3.2 Condensing Copper Pipe

I predetermined the distances between corners and center are **76mm**, **68.5mm**, **61mm** and **53.5mm**.

The predetermined size is shown in figure 8.

The external diameter is **6mm**.




figure 8 condensing pipe

3.3 Metal Plug

Size of metal plug is shown in figure 9.




figure 9 metal plug

4 Assembly

There are 3 steps in this process:

- 1) Connect condensing pipe and bottom plug to big copper pipe with TIG welding method. It is shown in figure 10.




figure 10 weld condensing pipe, bottom plug and big copper pipe

- 2) Put 2 grams mercury in big copper pipe. It is shown in figure 11.





figure 11 put mercury in pipe

- 3) Connect top plug to big copper pipe with TIG welding method. It is shown in figure 12.



**The top plug should be welded
to the big pipe well with TIG
welding method**

figure 12 weld top plug to pipe

5 User's Guide

There are 3 steps in distilling process:

- A. Distilling mercury with sea salt 10 times in test tube;
- B. 20kV high voltage influence mercury and sea salt for 2 weeks;
- C. Add stibnite to mercury, when color changes, clean mercury out.

5.1 Distilling Mercury with Sea Salt

- 1) Put 20 grams of laboratory mercury and 6 grams of sea salt in test tube;
- 2) Seal test tube with wooden plug;
- 3) Heat test tube with electromagnetic heater at the temperature 200 Celsius for 9-24 hours;
- 4) Separate mercury and sea salt with distillation apparatus;
- 5) Repeat above steps 10 times.

Diagram is shown in figure 13.




figure 13 distill mercury with sea salt

5.2 20kV High Voltage Influence Mercury

- 1) Put 10grams of laboratory mercury and 3 grams of sea salt in test tube;
- 2) Put an iron electrode who is connected to AC generator with 20kV

- voltage, 20kHz frequency in test tube;
- 3) Two double sharp quartz crystal touch test tube in both left and right side;
 - 4) Wait for 2 weeks, then separate mercury from mixture with distillation apparatus.

Diagram is shown in figure 14.




figure 14 high voltage influence mercury

5.3

Stibnite Distill Mercury

- 1) Add 2 grams of nature stibnite to mercury and power off HV generator;
- 2) Keep tube well closed until the color changes to soft red gloss;
- 3) Clean out mercury and stibnite;
- 4) Distill mercury with distillation apparatus.

Diagram is shown in figure 15.




figure 15 stibnite distill mercury